



# Biodynamics

a promising road to tomorrow's  
sustainable agriculture

Ulrich Schreier



# Biodynamic Agriculture

In response to the insistent demands of a group of German farmers concerned with lowered food and fodder quality, diminished seed vigor and signs of degeneration in crops and livestock, [Rudolf Steiner](#) laid the foundation of biodynamic agriculture in an eight day course held in 1924. Proposing a wider and more in-depth view of nature, life and man, his approach assumes that all observable phenomena in our physical environment are in effect tied of a much broader, immaterial reality which, from the Cosmic periphery, radiates towards Earth. According to this enlarged vision of the Universe, plants, animals, but also inert matter such as lime, silica, carbon, oxygen, hydrogen, nitrogen, potassium, phosphorous or sulphur are some sort of local condensation of a cosmic principle. In other words, they are not the root cause but merely the outward manifestation, the physical expression of a much broader reality.<sup>1</sup> To fully grasp and understand them, localized physicochemical analysis is not sufficient: just as it is essential to include the far away magnetic poles of our planet to understand the movement of a compass needle, we have to broaden the scope of our investigation - both in space and in time - to include spheres that are not readily accessible to our five senses. And we cannot choose to ignore them just because they cannot be measured directly using conventional instruments. In the world of life which modern science «*knows only by its symptoms*»<sup>2</sup> supra-sensible phenomena play a key role. Belonging to a realm which lies beyond the physical plane, they are a fundamental part of life and nature. Indeed, what a difference between a vigorously growing tree and a dead wooden pole, an animal bursting with vitality and a lifeless decaying body!



Rudolf Steiner, scientist, philosopher, visionary and inspirational source of various cultural, social, medical and educational initiatives, as well as founder of a school of thought called [anthroposophy](#).

## Broadening the scope of our scientific concepts

It is premature to have wanted to reduce life processes to the insufficient physicochemical concepts of the nineteenth or even the twentieth century.

[Louis DE BROGLIE](#), Nobel Prize in Physics.

Biodynamics seeks to broaden our scientific concepts concerning both organic and conventional agriculture, considering that the mater-bound and mechanistic theories of modern science, dominated by mathematics, physics and chemistry, are way too narrow. Although highly sophisticated and powerful when dealing with inert matter and electromagnetic phenomena, they are far from giving us satisfactory insights into the world we live in. For a better understanding of



[Blue underlined](#)  
Click  
for additional  
information

---

<sup>1</sup> This point of view reminds us of the wave-particle duality in modern physics and of the way Quantum Physics deals with matter by attributing to each particle "a wave which, extending to infinity, has a mobile singularity of permanent existence" ([Louis de Broglie](#)), or of the morphogenic fields and [morphic resonances](#) postulated by [Rupert Sheldrake](#) and Emile Pinel (champs de forme or "form field").

<sup>2</sup> [Albert Szent-Györgyi](#), Nobel Prize in Medicine and discoverer of vitamin C.

the dynamic, interdependent and hierarchical organization of Nature, we have to change our reductionist view of the universe to include spheres related to Life and Consciousness. To fill this gap, biodynamics goes beyond the narrow frame work of conventional science and, by promoting biology to its right place in the scientific hierarchy, adds the notion of immaterial principle such as life force, formative force and rhythmic development to that of substance and physicochemical process; the notions of wholeness, [homeostasis](#), coherence and symbiosis to that of mere analysis of individual parts; subjective aspects such as health, well-being, beauty, harmony, balance, taste, flavor and culinary enjoyment to those of easily measurable parameters. Only by adopting a broader vision of the world and by taking into account these more subtle criteria, can we hope to make progress in understanding Life and Nature which, holding secrets that are infinitely more complex than those governing the physical world, cannot be summed up nor understood based only on the infinitely small and on inert matter.

A [holistic](#) view which is the corner stone of Biodynamics makes us realise that agriculture is intimately related to all human endeavours and that it is the basis not only of our food, our clothing, our housing and our economy but also of the environment we live in, our physical and emotional well-being, our social and cultural life. This broadened view of our world moves agriculture to center stage and changes the way of organising and running at a farm. It also makes it easier to judge and to take advantage of the achievements of modern research as well as of the practical know-how of different farming systems, including many traditional approaches.

### **Each Farm has its Unique Personality**

The vision of a farm as an independent, living organism and integral part of the agricultural and social landscape leads inevitably to a new way of looking at farming methods, the farm setting and of course, the role of the farmer. Forests and wetlands, hedges and copses, flora and fauna, social and cultural aspects are all considered to be important parts of the farm organism and deserve similar attention as do fields and meadows, livestock and crops, orchards and beehives, machinery and economic factors. The farmer does not only think of himself as just a technical expert, but also as a keen observer – a kind of “Symphony conductor”, striving to establish harmony in the overall farming organism and to endow it progressively with its own unique personality.

### **Agricultural Practices that Respect Nature and Animals**



An enlarged view of nature taking into account supersensitive and cosmic influences creates a heightened sensitivity and respect towards the Living World and makes us aware of the strong ties that connect man to the plant and animal kingdoms.


Farm animals, the faithful companions and servants of man since the dawn of time, are at the heart of the farmer's concerns. Their well-being is a

top priority and he does his very best to nurture and protect them, making sure that their basic needs are met in a way that reflects respect and gratitude at all levels, including their bodily integrity: cattle keep their horns, pigs and sheep their tails and poultry their beaks. Cow horns, for example, are considered to be an important organ that contributes fully to the physiological health of this ruminant. By being linked to the digestive processes, they appear to have a beneficial influence on the nutritional and organoleptic qualities of milk, butter, cheese and meat.

The level of production is geared to the biological capacity of an animal. For most breeds of dairy cows, for example, an annual milk volume of 4 to 5,000 litres appears reasonable and makes it possible to feed them with mostly rough forage. This type of fodder, in particular if it has had the benefit of the biodynamic preparations, is ideally suited for their digestive system and promotes not only good health but also yields high-quality milk which, without the use of sophisticated technology, can be easily turned into a large variety of dairy products.


## The Biodynamic Preparations

An enlarged view of Life and Nature has led to the elaboration and use of a series of catalytic substances known as the biodynamic preparations.



**Preparation 500P (horn manure)**  
made from cow dung.  
Destined for the soil, it acts  
on life and structural forces.


By improving soil life and fertility they act on various essential processes at work in Nature, notably those related to key elements in agriculture, such as Silica, Lime, Potash, Phosphorus, Sodium, Nitrogen, Hydrogen, Oxygen, Carbon and Sulphur. These preparations are added to compost heaps and to liquid manure to improve the quality of the fermentation process, or, stirred in water (potentised), sprayed on the soil and on plants.



**Quartz crystals for producing the preparation 501 (horn silica).**  
Applied to plant leaves it is related to light, photosynthesis and structural forces

The various preparations which are derived from the plant, animal and mineral realms, specifically from quartz, cow manure and medicinal plants, stimulate the life and organisational forces of plants and soil and help compensate for imbalances between Earthly and Cosmic influences - climate shocks or a lack or excess of rain or sunshine, for example. By stimulating root development and soil life they also help

improve soil structure, humus build-up (carbon sequestration) and a more harmonious plant-soil interface. This leads to better plant health and more nutritious crops having more refined aromas and taste as well as better keeping qualities.<sup>3</sup>



**The six biodynamic  
compost preparations**

Yarrow  
Camomile  
Stinging Nettle  
Oak Bark  
Dandelion  
Valerian



Added to between 30 and 40 liters of water the preparation 500 (100 g/ha) and 501 (3 g/ha) are stirred for one hour and then sprayed on the soil (500) or on plants (501).

<sup>3</sup> Appendix A and C on page 11 and page 24 contains numerous images showing typical biodynamic soil, plant and root development resulting from the application of horn manure (500P) and horn silica (501).



Biodynamics also proposes a series of innovative methods and remedies that aim at reducing weeds and pests. In addition to the biodynamic preparations which already help in this respect, they include substances derived from these potential trouble makers as well as an attempt to organise the work schedule in harmony with solar, lunar and planetary influences obtained from the biodynamic calendar.

The methods for making the biodynamic preparations are in the public domain and don't carry the handicap of a commercial secret or exorbitant costs. They can be purchased or made individually or collectively by joining a group of biodynamic practitioners. For optimum results, they should be of good quality and be associated with solid agricultural practices such as low till cultivation techniques, minimum soil compaction by heavy machinery, sound crop rotations including companion cropping, cover crops, multi-species green manures, multi-year lucerne fields and long term pastures. In addition, the presence of livestock on the farm, in particular a herd of cattle, is a great asset for achieving an optimum economical and ecological balance.

## Soil Health and Fertility are Key

"No activity, not even medicine,  
is as important for our health as agriculture"

[Pierre Delbet](#) (1861-1957),  
Member of the French Academy of Medicine

Biodynamic Agriculture tries to establish a good balance and optimum health at all levels of the biological pyramid. Considering that Mother Nature and our soils have deteriorated to such an extent that they are unable to recover by themselves, Biodynamics feels that it is high time that we acquire a new and more profound understanding of the laws governing Life and Nature in order to be able to restore the vitality and fertility to our soils. *Healthy and fertile soils are the basic foundation of any civilisation* and are of crucial importance to the good health of both plants and animals, the two pillars of the physical and emotional well-being of Man.

It is an open secret known by most agronomists and farmers who have experienced the ease of growing crops after the land has been rejuvenated by multi year alfalfa fields or long term pastures: well balanced soils teeming with life are easier to cultivate and combine good water retention and drainage, minimum erosion, good productivity and *low pressure from weeds*,



**Australian Pasture** (see also page 12) : with the improved structure the soil gains in nitrogen compounds and organic matter content (carbon sequestration) which in turn increases fertility (improved productivity and crop quality), porosity (better air and water circulation), stability (less erosion) and water retention (less prone to drought and flooding). Between the soil on the right side image which has reached a high level of auto-fertility and the one on the left from the neighbor's paddock under conventional management, the difference in carbon storage is more than 100 t/ha of C or more than 360 t/ha of CO<sub>2</sub>. For just one hectare of well managed agricultural land this works out to the equivalent of the annual CO<sub>2</sub> emissions of about 200 cars !

*diseases and predators*. Since only animals, in particular herbivores, can turn rough forage from pastures and certain crops into food for humans, livestock seems to be an important part for developing an economically viable and truly sustainable agricultural system.

## A Better Balanced and More Autonomous Farming Organism

Biodynamics tries to limit inputs from outside the farm by adopting cultivation, crop rotation and fertilisation techniques which promote a high level of soil life and soil fertility. Paired with an approach to livestock management and nutrition which respects the physical requirements and the well-being of animals, this leads to a well-balanced farm organism and a high degree of self-sufficiency. In addition, it protects the farm from all sorts of problems from the exterior: seed and fodder contamination, mad cow disease, hoof and mouth disease, bird flu, swine fever, and all sorts of other bacterial and viral infections or even genetic defects.

Striving towards a high degree of autonomy, market gardening is often of prime importance on biodynamic farms (see page 20). Much more productive than open field agriculture and potentially less resource intensive and with a more favourable environmental impact, this form of vegetable production has many strong points that make it a prime candidate for feeding the World. In addition, in part aided by the high quality of the food produced, it is an ideal vehicle for building strong ties with customers and the local community. In this regard, many biodynamic farms are linked to [CSA](#) groups. Born out of the biodynamic movement these groups usually participate in organisational tasks, may take part in farm work and often help with land ownership issues, investments, pre-financing the production process and risk sharing.

### Land surface needed for the production of one kilo of :

Boeuf, y compris le fourrage	Beef including forage	323 m <sup>2</sup>
Boeuf de pâturage	Pastured Beef	269 m <sup>2</sup>
Poisson	Fish	207 m <sup>2</sup>
Cochon	Pork	55 m <sup>2</sup>
Poulet d'engraissement	Chicken	53 m <sup>2</sup>
Œuf	Eggs	44 m <sup>2</sup>
Riz / Pâtes	Rice and Pasta	17 m <sup>2</sup>
Pain	Bread	16 m <sup>2</sup>
Légumes / Pommes de terre	Vegetables & Potatoes	6 m <sup>2</sup>

Source : WWF Suisse

With biodynamics the surface areas are much smaller but the general tendencies are similar.

## Biodynamic Farming around the Globe

Biodynamics is the oldest consciously organic approach to farming and gardening, and possibly the most sustainable there is. Present on all five continents, it has influenced many of today's major organic movements. Starting out in Switzerland and Germany in the mid-twenties, its early development has been mainly in the German-speaking countries, Scandinavia and Australia. In 1947, [Alex Podolinsky](#), one of the pioneers of Biodynamic farming, emigrated to Australia, a country known for its poor soils and difficult climatic conditions. Based on his work, biodynamics covers now around a million hectares with farms ranging in size from small market gardens with a few acres up to large ranches covering in excess of 10.000 hectares. In a relatively short time soils which were worn out and compacted due to poor management have been turned into fertile pastures and crop land (see page 13). Part of the crops harvested on these rejuvenated soils are exported to Japan and Europe where they are sought after by quality conscious buyers.



SEKEM in Egypt is another initiative where biodynamics plays a key role. Founded in 1979 by [Ibrahim Abouleish](#), an Egyptian Medical Doctor and Chemist and the recipient of the 2003 [Alternative Nobel Prize](#), this unique project unites cultural, social and economic initiatives and includes more than 2000 small farmers and several enterprises and partner organizations. [SEKEM](#) ([www.sekem.com](http://www.sekem.com)) has inspired many innovative projects around the globe sharing freely its experience and unique know-how.



This is farm owner and member of the Sekem cooperative

## Demeter: World Wide Trade Mark for Biodynamic Products since 1928

Precursor of the organic movement and first to clearly identify its products, biodynamic agriculture has created the [Demeter](#) Trade Mark named after the Greek Goddess of fertility.



Conforming to the organic standards of the various host countries, its guide lines go considerably further and include additional criteria addressing farm organization, seed selection, animal care and the application of the various biodynamic preparations (see page 4).


Especially in the German speaking countries and in Scandinavia, Demeter is well known. Enjoying an excellent reputation, prices for its products can be 20% or more above those for regular organics. The premium for bread wheat, e.g., is usually between 10 and 25%.



## The Interest of Biodynamics Confirmed by Many Studies

"No one can deny the reality of a fact" <sup>4</sup>

As surprising as it may seem to a Cartesian mind, biodynamics has amply demonstrated its effectiveness, the undeniable reality of cosmic influences and the often startling effects of small doses of its preparations on both soil conditions and on the development and health of plants (see Appendices A , B and C - pages 11, 20 and 23). Beyond clear evidence seen on farms or reported by scientists who have contributed to the development of this form of agriculture and gardening, the great value of the biodynamic approach is confirmed through numerous studies conducted by private and government backed organizations in several European Countries, North America and Australia.



In 1978 the Research Institute for Organic Agriculture in Frick, Switzerland ([FiBL](#)) has started a long-term comparison between biodynamic, organic and two modalities of conventional agriculture ([DOK-Study](#)). The study which is now conducted in partnership with the Federal Institute of Agroecology is laid out on a 4 hectare field with 96 subdivisions. Despite conventional cultivation techniques and the small size of the plots,

<sup>4</sup> The lack of a satisfactory theory to explain a phenomenon does not mean that it does not exist. Or else, there would be neither gravity, nor energy, nor life!

biodynamics comes out on top on many key parameters: higher organic matter content, lower acidity (higher pH), better soil structure and stability (lower tendency to erosion, compaction and crusting), a higher level of microbial and enzymatic activity, better root development and a greater presence and diversity of soil organisms. In addition, the



Organic matter ties soil particles together resulting in a good and stable structure. In the spring when the soil is not yet completely covered with vegetation, the soils in the **DOK study** show a clear difference in structure and tendency to crusting, compaction and erosion. The difference in structure is particularly pronounced between the biodynamic plot (on the left) and the conventional/mineral plot (on the right).

Photos : Thomas Alföldi (FIBL)



© Christian Marcel


Copper-chloride crystallization: image of red wine from a biodynamic vineyard

biodynamic plots receiving only the preparations but no fertilizer for over 20 years challenge the input-output theories of conventional agriculture (see Appendix C - page 23). Holistic analytical methods - including [Copper chloride crystallization](#), morpho-

chromatography and photoluminescence, designed to highlight organizational forces and the constitutional harmony of plants and agricultural products - led

to a clear and reproducible distinction of biodynamic products ([SCIENCE Vol 296, 31 May 2002 : Soil fertility and Biodiversity in Organic Farming](#)).

Other studies show the positive effects of the biodynamic preparations on wheat germination ([Hagel 1988](#)), carbon dioxide absorption by plant leaves (photosynthesis effect - ([König 1988](#)), nutritional and keeping qualities of vegetables ([Abele 1978](#) ; [Elsaidi 1982](#)). A recent study on the consumption of Demeter certified food in a German monastery showed an improvement in health parameters as well as in the physical and emotional well-being of the participants ([Monastery Study K.Huber and al. 2005](#)).



Morpho-chromatogram of a biodynamic vineyard soil

## Biodynamic Agriculture in France



In France, where biodynamics is practiced on about a thousand farms<sup>5</sup>, a multitude of associations and private organizations are involved in its development. Helped in part by the Australian impulse of [Alex Podolinsky](#) which brought a notable improvement in the effectiveness of the biodynamic preparations and the stirring equipment, its progress has accelerated considerably since the late 1990s. Thanks to the positive effects of biodynamics on soil improvement, the health of the grapevines as well as on the taste and authenticity of the wine ([AOC](#)), this approach to

<sup>5</sup> Motivated by the results seen at some of their peers, more and more farmers and in particular wine growers adopt biodynamic principles in a highly pragmatic way, often limiting their approach to some of the guide lines from the biodynamic calendar and the application of certain of its sprays : horn manure (500 or 500P), horn silica (501), herb teas, plant decoctions or plant macerations. Part of Rudolf Steiner's Agricultural Course in 1924, cosmic influences (biodynamic calendar) and plant extracts are now common place with many organic and even a few conventional farmers.



agriculture has acquired a certain prestige in viticulture where more and more vineyards, including some of the big names<sup>6</sup>, have gone to biodynamics (see Appendix A - page 11). In an effort to promote "authentic" wines which truly express local geological and climatic conditions ([Terroir](#)), Nicolas Joly, owner of the famous "[Clos de la Coulée de Serrant](#)" and well known protagonist of biodynamics, set up



"[La Renaissance des Appellations](#)" ([Return-to-Terroir](#)), an association which now includes more than 200 winegrowers from around the world.

Biodynamics is also making major inroads into market gardening in particular on farms with [CSA](#) involvement and direct marketing. Being close to their customers, food quality and taste as well as financial, economic and social ties tend to be important factors in these situations and often include interest free loans, pre-payments, risk sharing arrangements and new forms of land ownership.

## Conclusions

Being interested not only in agronomical, ecological and economical issues but also in social and cultural aspects, biodynamics is uniquely positioned for making constructive contributions towards solving the problems which take center stage in today's debates on agriculture, food, health, environment and social issues: soil fertility – choice and safekeeping of seeds and cultivars – control of weeds, crop diseases and predators – animal well-being – food quality and conservation – the food-health connection – social organization and the role of farmers in the food production process – economic and financial imbalances – preservation of our rural heritage – sustainable agriculture – carbon sequestration – climate change – droughts and floods – water shortages – energy and raw material waste – depletion of world's phosphate deposits – protection of the environment and natural resources, in particular biodiversity, agricultural land, water and air. Only through holistic approaches as they are proposed by biodynamics can we hope to come up with credible cures for the headaches, entanglements and dilemmas that keep haunting us.

Based on its ability to regenerate worn-out and compacted soils in a very short time and with very few resources, Biodynamics seems destined for a major role in perfecting current organic systems, as well as in developing the truly *sustainable agriculture of tomorrow*.

---

<sup>6</sup> **Le Figaro** of 22-01-2013 : [Mythe des mythes : la Romanée-Conti](#) : The vineyard is organic since 1985 with 7 ha in biodynamics for a long time. Since 2007 all grapes are grown biodynamically without using this fact as a commercial argument, but because 'it results in a better wine'. (note: [Romanée-Conti](#) is considered by many wine connoisseurs to be the World's top vineyard!)

**Decanter Magazine** ([Internet issue October 13, 2014](#)) ; Since last vintage, [Roederer's](#) Cristal and Cristal Rosé have been exclusively produced from biodynamic vineyards. - The house's chef de cave, Jean-Baptiste Lecaillon, said biodynamic methods 'add a pureness and extra vibrancy to the wines'. (note : [Cristal de Roederer](#) is considered by many experts as being the World's foremost Champagne.)

## Bibliographie

Rudolf Steiner : [The Agriculture Course](#)

Lily Kolisko : Agriculture of Tomorrow: a copy of this out of print book can be downloaded from [Soil and Health Library](#)

Koepf, H.H., Shouldice, R., and W. Goldstein. 1989. The Biodynamic Farm, Anthroposophic Press. Hudson, NY. 245 pp ;

Koepf, H., Research in Biodynamic Agriculture: Methods and Results, 1993. Bio-Dynamic Association

Peter Tompkins, Christopher Bird : Secrets of the Soil, 1989, Harper & Row, New York

Pierre & Vincent Masson : [A Biodynamic Manual](#), 2013 Floris Books

DVD : [Companion DVD to "A Biodynamic Manual" \(Co-production BioDynamie Services and Ecodyn\)](#)

FIBL (Research Institute for Organic Agriculture) and FAL (Federal Research Station for Agriculture and Agroecology)

[Document N°1, May 2001](#) : Results from a 21 year field trial : Organic farming enhances soil fertility and biodiversity

SCIENCE Vol 296 31 May 2002 : [Soil fertility and Biodiversity in Organic Farming](#),

Alex Podolinsky : Biodynamic Agriculture Introductory Lectures Vol 1, 2 & 3 (available from [BD Growing](#))

Active Perception (Gavener Publishing 1990 available from [BD Growing](#))

[Bio-Dynamics : Agriculture of the Future](#) (Biodynamic Research Institute)

[2011 Conference](#) (Biodynamic Research Institute)

DVD : [Wine the Green Revolution](#), Prize Winning Documentary Film by Guillaume Bodin

[Biodynamic Growing Magazine](#), PO Box 315, Dumbalk, Victoria 3956, Australia; 2 issues per year as paper or E-versions

 The French version of this document : [La Biodynamie : un chemin prometteur vers l'agriculture durable de demain](#)

## Internet Links

[Biodynamie Services](#)   [BD Growing](#)   [Demeter International](#)   [Biodynamic Research Institute](#)  
[Ecodyn](#)   [UK-BD Association](#)   [US-BD Association](#)   [Wikipedia](#)

## Note

This document is free of any copyrights and may be circulated freely over the internet or in print form. To make sure that people have always access to the latest version, it is preferable to share it via the [URL link](#) rather than as a PDF file. In case you want to use only certain parts of the document, it is highly recommended to always cite the source of the information and in particular the names of the people who took the photographs.

Taking into account the rapid development of Biodynamics and to give the document a "living" hue, its e-version will be updated on a regular basis. The latest version will always be available at the following URL address: [http://www.vernoux.org/biodynamie/Biodynamic\\_Agriculture.pdf](http://www.vernoux.org/biodynamie/Biodynamic_Agriculture.pdf)

Comments, corrections or information which might enrich this document are welcome!

This document is also available without the active internet links colored in blue.

Ulrich Schreier   Château de Vernoux   F-49370 Le Louroux Béconnais

e-mail : [ulrich.schreier@gmail.com](mailto:ulrich.schreier@gmail.com)

Last update 01-01-2015



## Appendix A : Impact of the Biodynamic Preparations



[Enlarge](#) ↑

Soil cores from an Alsatian vineyard (Silica rich soil).

Above : biodynamic soil

Below : adjacent conventional plot

Excerpt of the FIBL Science publication [Science Vol 296 - May 31, 2002](#)

**A**



**B**



**Fig. 3.** Biodynamic (A) and conventional (B) soil surface in winter wheat plots. Earthworm casts and weed seedlings are more frequent in the biodynamic plot. Disaggregation of soil particles in the conventional plots leads to a smoother soil surface. Wheat row distance is 0.167 m. Source: T. Alföldi, Research Institute of Organic Agriculture [Forschungsinstitut für biologischen Landbau (FiBL)].



## Champagne Region (chalky subsoil) - Soil Development after 3 Years of Biodynamics

**Crop Rotation : Wheat (2010/11), Flax (2011/12), Einkorn (2012/13)**



### Comparison plot (organic)

- without 500 or 500P
- 06-06-2013 : preparation 501

#### Commentary

- compact structure
- relatively light color
- poor root development
- few olfactory aromas

[Enlarge](#)



### Preparations 500 et 501

- 09-11-2012 : preparation 500
- 24-04-2013 : preparation 500
- 06-06-2013 : preparation 501

#### Commentaries

- improved soil structure
- darker color
- improved root development
- more olfactory aromas
- some non-decomposed straw

[Enlarge](#)



### Preparations 500P et 501

- 09-11-2012 : preparation 500P
- 24-04-2013 : preparation 500P
- 06-06-2013 : preparation 501

#### Commentaries

- good porous soil structure
- dark color
- good root development
- rich and refined aromatic smell
- good digestion of straw



[Enlarge](#)

Profiles taken on July 30 2013 under very dry conditions

Trial Participants: R. & O. Devalance (Farm Owners), Technical Support : A. Gouez et M. Leclaire, photos A. Gouez




# Soil Regeneration with Prepared Horn Manure






## Burgundy Vineyard



[Enlarge](#) ↓



**In 2 years the biodynamic plot has received 3 applications of 500 (horn manure - 100g/ha in 40 liters of water) and 5 applications of 501 (horn silica - 3g/ha in 40 liters of water)**

Photos Pierre Masson 16/02/2007



# Profile of Different Vineyard Soils



[Enlarge](#) ↑

[Enlarge](#) ↓



[Enlarge](#) ↓





# Macon Vineyard



[Enlarge](#) ↑

[Enlarge](#) ↓







# Mâcon Vineyard after 2 months of Biodynamics

The estate has been managed organically since 2003

April 17 2014: 100 g/ha of 500P in 35 liter of water


Early June on adult vines only: 4 g/ha of 501 in 35 liter of water





## Côtes du Rhône Vineyard

**Côtes du Rhône - Mourvèdre : leaf behaviour is typical for biodynamics with Horn Manure (500P) and Horn Silica (501): shiny leaves standing up with individualized positioning.**




*Côtes du Rhône - Mourvèdre : comportement foliaire caractéristique de la biodynamie avec bouse de corne préparée (500P) et silice de corne (501) : brillance des feuilles, redressement, positionnement individualisé.*

*Pierre Masson  
Agriculture Bio-Dynamique  
formation conseil*

[Enlarge](#) ↓

[Enlarge](#) ↑

**Côtes du Rhône - Mourvèdre : same plot at the same time but without the biodynamic preparations: the leaves are matt and fall like a curtain resulting in poor air circulation.**



*Côtes du Rhône - même parcelle, même heure Mourvèdre témoin ne recevant pas les préparations biodynamiques : feuilles mates tombant en rideaux*

*Pierre Masson  
Agriculture Bio-Dynamique  
formation conseil*



## Vineyard in the Jura Region

Jura - Montaigne - 19 juin 2009 - Port dressé et flexibilité (emploi de bouse de corne préparée (500P), de silice de corne (501) et de tisanes de plantes (ortie, prêle, etc.) La 4<sup>e</sup> silice de corne a été passée le matin même.

Jura - Montaigne - June 9, 2009 - Vines are flexible and stand upright (use of the preparations 500P, 501 and herbal teas (stinging nettle, equisetum etc)) The fourth application of 501 was done on the morning this picture has been taken.



[Enlarge](#) ↑

[Enlarge](#) ↓



Port typique de la vigne  
après l'application de la  
silice de corne (501)

Typical uprightness  
after spraying 501

Pierre Masson  
Agriculture Bio-Dynamique  
formation conseil



## Appendix B : Market Gardening



### Root development on salad seedlings

On the left: organic (without biodynamic preparations)

On the right: biodynamic with 2 x 500P (prepared Horn Manure) during soil preparation - dipping of naked roots in 500P prior to planting - 1 x 501 (Horn Silica) sprayed on leaves after planting - a second application of 501 is planned 2 weeks before harvesting).

photo Adriano Zago Spring 2012



# Market Gardening with Mulch

Grass-Clover Mixture  
without additional fertilizer

Preparations 500 et 501  
on all Végétables



Harvesting and Spreading Mulch



On the Left without  
on the Right with Mulch




Fennel



Salad



Despite elevated humidity and temperatures underneath the cover  
the mulched cabbage shows very few signs of fungus attack on leaves



China Cabbage



Cultivation and photos Stefan Funke



# Mulched Tomatoes

Grass-Clover Mixture  
without Additional Fertilizer

Prép. 500 at sowing and bef. plantation  
501 every 4 weeks after first flowers



Cultivation et Photos Stefan Funke



The roots feed on  
decomposing mulch





# Appendix C

## DOK trial– conventional and biodynamic wheat crops



[Enlarge](#) ↑

On the left :

**Conventional winter wheat  
fertilized chemically**

On the right:

**Biodynamic winter wheat  
without fertilization for 22 years**

For 22 years this plot has only received the  
biodynamic preparations 500 (horn manure) and  
501 (horn silica)


Photo taken by Heini Heer on June 28 2000 at 16h10



## Appendix D : Root Development of Bush Beans

The influence of untreated and treated liquid manure on the root development of bush beans (U. Abele 1978)

Untreated manure	Aerated manure with the addition of <a href="#">bentonite</a>	Aerated manure with the addition of bentonite and biodynamic preparations
Depth of 0-40 cm		



Depth of 40 80 cm



Fresh liquid manure hampers germination and plant development and results in a very weak and disorganized root system. Aerating the manure and adding [bentonite](#), a colidal clay powder with a very large internal surface area, greatly improves the situation. But by far the most extensive and harmonious root system is obtained by also adding the biodynamic compost preparations.